
INDEX ADDITION PAGE GENTRY PLACE 41 GLENWOOD 36 GRANDVIEW 65 GRAHAM'S RESERVE 66 HIGHLAND HOMES 47 HIGHLAND 76 HILLCREST 72 HOSPITAL 71 HUNTER 65 INDIANA UNIVERSITY 54 INDIANA UNIVERSITY 55 INLOTS 49 INLOTS 51 INLOTS 68869 INLOTS (149 to 317) 74 HOHNSON 61 KENWOOD PARK 63 KENWOOD 63 KERR 37 KIRKWOOD HTS. 46 LADE 53 LAWNDALE 43 LONGVIEW 76 LOUDEN 43

91

	INDEX	
	ADDITION	PAGE
	LOWE	16
	LOTS 6-15 sec. 28	82
	LOTS 140 to 148	83
	LOTS 137 to 146	84
	MAPLE HEIGHTS	64 5
	MAYFIELD	33
	MERKER	43
	MERKER	62
	McCULLOUCH	39
	McPHEETERS	69
	MILLENN SUB. DIV.	23
	MILLEN & RICE	27
	MORSE	60
	NORTHVIEW	2
-	NORTHWESTERN HEIGHTS	25
	OAKLAND	733
	ORCHARDS	39
	OWEN	50
	OUTLOOK	62.64
	PARKVIEW	29
	POLING	45
-	Pt. SEC. 34 E. 10th. St.	61.
	Pt. COLLEGE PLACE	45
-	Pt. WALNUT GROVE	60

.

WHITAKER



AUG. 19 1930: - AT THIS DATE THERE IS

SOME QUESTION AS TO LOCATION OF THE

S.P.L. OF 19TH STR. - ACCORDING TO LOCATION

OF COR. STONESAT WASH. & 19TH AND LINCOLN

& 19TH STR. THE S.P.L. OF 19TH STR IS AT THE

NORTH END OF THE WALHUT STR. SIDE WALK. BUT

THE STATE HIGHWAY HAS PLACE AN IRON PIN 73 FT.

HORTH OF THE END OF THIS WALK FOR THE COF 19TH

STR. WHICH DOES HOT AGREE WITH THE ABOVE

MENTIONED LOCATION - THE R.D. W. FOR THE STATE

15 HOT DEFINED FOR WIDTH PERMANENTLY

AT THIS DATE.

PLAN NED THE WIDTH TO COULD NOT BE

PETERMINED BY RECORDS. SO THE CITY

COM DEMNED ENOUGH LAND ON THE WEST

SIDE SO AS TO BUILD A SZ' STR. THE FAST

SIDE OF MALHUT WAS ESTABLISHED BY

USING COR. STONES ON THE WEST LINE OF

FULWIDER'S ADDITION. SAID STONES ARE

STILL IN PLACE TONE AT 14TH STR. THE STORM

SEWER UNDER THE COF WEST WALK IS OF CONE.

PIPE TO A DEPTH FROM G TO 10 FT AN CUT

MOSTLYTHROUGH STONE. LITTLE IS KNOWN


OF 16TH STR. OUTSIDE OF THE FACT THAT

torn out during the construction of the street.

Stone is not just underneath the concrete

plasment, but some what deeper.

laid out according to cor. stones at 15th and 17th street. The one at 17th street remains in place at this date. The north end of Linc In Street marks the the north boundary line of the city. What has been noted of Lincoln Street applies to Washington Street from 16th to 17th Street. Washington Street improvement from 16th to 17th Street is 40 feet in width with 2 feet back of each walk belonging to the city as there is a 44 foot right of way for this street. There is a cor stone at the N.E. Cor of lot 33 in Northview addition (Stone is just undermeat) the sod.) Stone at the S.E. Cor of 17th and Washington Street is out.



THERE IS A SHORT SUR PLUS BETWEEN GRANT

& DUNN, STREET FROM LINCOLN STR. TO TOP

OTH OF THE HILL (TOWARD DUNN) IS LAID ON

STONE-INFACT STONE HAD TO BLASTED OUT TO

ADEPTH OF TWO FEET IM ORDER TO GET DOWNTO

GRAPE.

[4TH STR. DOES NOT UTILIZE ALL OF ITS

RIC. M- ALTHOUGH THE WILL, IS THE

N. PL AND THERE IS A COR, STONE

TWO FEET UNDER THE HORTH SIDE WALK

AT THE NE, COR. OF LIM. & 14TH STR.

COR. STONE AT M.W. COR DOWN & 14TH WAS

TORN OUT DURING CON STRUCTION OF THE

STR. - STONE IS HOT. JUST UNDER WEATH

THE STR, SLAB BUT SOME WHAT DEEPER.

LINCON STR.-15TH TO 17TH WAS LAID

OUT ACCORDING TO GON. STONES AT 15TH

& 17TH SP. THE ONE AT 17TH STR. REMAINS

IN PLACE AT THIS DATE, THE NORTH

END OF 17TH STR. MARKS THE NORTH

BOUNDARY LINE OF THE CITY, WHAT HAS

BEEN NOTED OF LINCOLN STR. APPLIES

TO WASHINGTON STR(16TH TO 17TH) IN EVERY
RESPECT.

DRISCOLL ADDITION

This addition on the ground is not as shown on the plat. The existing lines of Grant street ase too far east by quite a few feet. All north and south streets and alley east of Lincoln Street are not in corrects position according to plat. The north property line of Hillside Drive on the west side of Washington Street is 7 inches north of the south end of the sidewalk. Lincoln Street is on a slight angle between the south line of Grimes Lane and the north line of Hillside Drive. There is. an iron peg of the north east cor. of Grimes Lane and Lincoln whichis on the prop.line all ways.

There ise six feet behind the side walk on the east side of Wash.Str. that is city prop. Two feet and 3 inches north of Quince Cox's Stone wall is the is the north line of Hillside Drive at Lincoln on the N.E.Cor.speaking of the sought edge of the wall. It is from 6 to 12 feet to stone under lincoln Str. through this addition. Grimes Lane is laid right on the line on both north and south side from Walnut to Lincoln.

13.6 Genus - E. OF WAL. ST. Q. Deiscour Belongs To City

86.50 1362 Pills

GRIMES

LANE

AGREAT DEAL OF THIS ADDITION

IS NOT SHOWN ON THIS PLAT


BEING BELOW HILLSIDE DRIVE.

ATTHIS DATE (JAN, 1931) THISE

IS ANOTHER ADDITION-LOCATED WHERE

A IS SHOWN-KNOWN AS EADS APP.

IT HAS NOT BEEN APPROVED BY THE



STONE AT S.W. COR, WAS

SET BY ME IN 1930 AND IS

LOCATED OVER ORIG. STONE



STONE AT S.E. COR. OF LINCOLN
& DAVIS WAS REMOVED BY THE
INTERSTATE IN 1927 WITHE
IN ORDER TO PLACE A POLE.

THE ABOVE STATEMENT IS IN FREDE 45 THE STANE
WAS FOUND AGAIN IN 1932 + A NEW ONE PLACED

CAPITAL PLACE

There are corners stones on the south south side of Allen Str.at Mincoln and the distance between them should be 48 feet but is 48.5 feet instrad. (S.E. and S.W.. Corners) Stone under Lincoln Str. through these additions is on an average of 4 to 5 feet in depth. The lots and alleys between Davis and Allen Str. do not exactly measure out as they should acc ording to the plat. Lincoln Street east and west prop. lines are 4 feet back of each walk through these addition. The east line of Lincoln Str. from Allen to Grimes Lane can be tablished from Cor.Stomeat Allen str on the S.E.Cor(This stone is right) and the iron peg at Grimes Lane mentioned in the Driscoll Addition notes.

STONE AT S.E. COR. OF HEND. & DAVIS

STR. AND SHOULD BE CHECKED

BEFORE USING AS IT IS DOUBT
FUL IF IT IS RELATED TO LANDS


WEST OF HEND. STR.

S.W. COR ALLEN + LINCOLM = ALLOW



\$6.50

It is very advisable when survey ing lots in this addition to check the location of monon Drive.



with the center line of Walnut Street and it will be found approx. 9 feet off with the recorded plat. The lots along Monon Drive provide approx. 3 foot surplus between Hillside Drive and the point marked X SEE ONTHIS, SECTION IS WRONG.
HILL SIDE DR WAS VACATED
IN OCT. 1930. FROM WALHUT TO
ROGERS, STE.

DEMENSIONS OF LOTS LINES FRONTING
ON WALNUT STR. IN PAIL ROAD
PARK ADD, CAN BE FOUND IN CITY
TREASURE R OFFICE ON ASSESS.
ROLLS PERTAINING TO CONSTRUCTION
OF SO. WALNUT STR. & SEWERS.
THESE DEMENSIONS ARE THE
RESULTS OF TRIANGLATION
METHODS WHICH FOLLOW DATA
COLLECTED IN FIELD, AND PROVED
TO BE REASONABLE CORRECT.

THERE ARE IND. L.S.G. STONES

AT. POINT G. & H-WHIGH MARK

THE H.RL. OF HILL SIDE DR.

THERE IS NO JOG IN HILLSIDE

DR. AT WALNUT STR. AS SHOWNOW

CITY MAP. THERE IS NO CITY

PROP. BEHIND WALKS ON WALNUT

STR. SO. OF HILLSIDE, DR.

typed in new 1957 Goods OCT. 18. 1933 NO RECORDS OF THE VACATION -OF COLLEGE AVE-GRIMES LANE TO HILLSIDE DR. COULD BE FOUND AFTER AN EXTENSIVE SEARCH MASE BY J. E. DARBY, MYSELF & THE ATTORNEYS FOR THE IND. LIME STONE CO, - IN CONNECT. ION WITH ROOW FOR NEW CITY SEWER TO BE BUILT UNDER U.S. LOAN THE WIDTH OF WALNUT ST- ZNO ST. TO HILLSIDE DR. IS GIVEN IN ORIG. DEFD RECORD A-PAGE 55 ANO IS GIVEN AS 69,3 FT THE LAND SOLD BY PING-BETWEEN N. LINE CAZEE ADD, + GUINES LANE INCLUDES PART OF WALKUT ST. EL COLLEGE AVE - R-O-W.

typed in 1957 books

DODDS ADDITION

ROGERS ST. VACATED WHEN

PLANT 4 WAS ERECTED.

MADISON

MONON PR.


\$5.00

Sewer and Street built in the summe


Roger street also take up all its right of way, but Grimes Lane is should be checked west of Walnut little is known of Hillside drive out side of the fact the nnet distance from Grimes to Hillside seem to fit in well with existing conditions


Madison street takes up its entire right of way through this addition


At the south end of Madision str
(At Hillside Drive)Stone is within
7 inch.of the top of the pavement
but runs deeper toward Grimes
Lane but at not place between
Grimes and Hillside does the depth
exceed 6 feet. The sewer under this s
street is laid on a small grad.
and run 12 ft deep toward Hillside
Brive. There seem to be no surplus
between Rogers and Madison street.
The sewer at Hillside drive and
Madison street in Hillside drive
is better then 14 feet deep.





S.E. COR. - ROGERS + ALLEN ST. PROVES TO BE THE SOUTH LINE OF ALLEN ST. ALLEY INTERSECTIONS ALONG ROGERS ST. THROUGH THIS ADDITION ARE NOT PROPERLY LOCATED. HOWEVER THEY BECOME CLOSER TO BEING COPPECT AT EACH ALLEY AS YOU GO SOUTH FROM DODDS ST. STONE WALL ON E. SIDE OF LOT 6- MARKS THE W. LINE OF MADISON S. NET DISTANCE FROM ROGERS TO MADISON ST. OVER DODOS, ST.

















1 \$5.50

EZHO STR

ATWATER

ATW

Coe. Some AT S. W. Coe. Lot 17

PLACED ACCORDING TO A ROW

OF COR. STONES THAT EXISTED

A LONG THE EAST LINE OF R.O.W.

THESE STONES WHERE MOSTLY

DESTROYED DURING CONSTRUCTION

OF THE STR. HOWEVER THERE IS

ONE THAT WAS FILLED OVER AT

THE S.E. COR. OF ATWATER & HIGHLAN

THIS STREET UTILIZED ITS ENTIRE

R.O.W.

FROM ATWATER TO 300 & ALONG JORDAN

STR. THERE IS A 7FT. SURPLUS. WHEN

PLACEING ZOFT ALLEY DURING THE

CONSTRUCTION OF JORDAN STR. THIS

SURPLUS WAS SPLIT EQUALLY ATTHE

COR STONE IN FRONT OF


KHIGHT'S STORE ONE 3RD STR.

ALSO ONE OU UNIV. LANDS


NORTH SIDE OF 3RD STR. OPPOSITE


ALLEY BETWEEN HIGHLAND


& JORDAN.





COR STONE - N.W. COR. LOT 40 worden attend her lace its entire to be it it is to the let at all areas and AL LYST. COSTUMENTAL OF THE COST. TO SEE ST. T. are tranta brist mountai basi melewan October asset of the state of the state of Place who, wednesday is I . C. That world confi Variety Place Ports of Inira con the of the off id. The the frequency of light spread of the street and a reason. (The party bareaus) against Level to Lot maker 10- april 10. dece. are fred one whole was a de broddens. with of the section of distance. In which it or lor to lited to sure of der well-million and end at every














COR, STONE BENEATH LAND TO COR. STONE BENEATH WALK OF LINCOLN

STR. CLOSE TO THE BACK OF THE NORTH

WALK OF E ZND STR. (N.W. COR-LIN. & ZND STR)

STONE ABOUT 18" DEEP. LINCOLN STR. AT

THIS POINT WAS LOCATED BY THIS STONE.

WEST SIDEOF

8. WEST WALK WAS PLACE DIRECTLY

OVER CLOSS ON STONE.


COR STONE 1.35 FT. INJEST OF THE INJEST WALK OF LINCOLN STR. AT S.W. COR-LINCOLN & SMITH AVE,


WET SEEPY GROUND UNDER SMITH AVE M


IN DEALING WITH FRACT, LOT 20821 ONE MUST CONSIDER & DEAL WITH WHAT HAS SEMINARY BEEN AN OLD CEMETERY LANE-DEEDS IN THIS LOCALITY ARE VERY TRICKY &.


IN SOME CASES GIVE NO INFORMATIONS.


W. P.L. LINCOLN ST. AT S.W. COR- SMITH AVE IS 1.86 FT. W. OF W. I.L. OFLINGOLNST





















\$5,00 COR. STONE AT N.E. COR. 10TH & LINCOLN ST. LINCOLN WALHUT STR.

\$500 OLD STONE WALL AT N.E. COD OF THE BUNN IS ON THE EAST LINE OF DUNN STR. COR STONE S.W. COR, TON & GRANT ST. - ALSO ONE AT S.E. COR. OF THIS INTERSECTION. COR STONE AT S.E. COR. 8TH & LINCOLN UNDER Lincoln HEDGE BUSH. COR STONE AT S.W. COR 8TH + LINCOLN. PRESENT STONE WAS PLACED OVER ORGINAL STONE. 250








HARTFORD


BLOOMINGTON, IND.


of Bloomington, Indiana, described as follows, towit: A part of Lot Number 5 in Lade's Addition to the City Number 5, 94 feet East of the Northwest corner of said Commencing at a point on the North line of said Lot Lot Number 5, thence East 42% feet along the North line of said lot; thence South 623 feet; thence West 423 feet; thence North 623 feet to the place of

































67 \$5.50 Adres Indici J.W. Cox. Jaminary Square 15 33 Not & of 1st St. as evidenced by rorbs West of Morton St. and is 31,28 East of W. edge of W. rail of main track of R.R. Logors & Morton - 21.3 + Curbs. ZNO STR. Use & between Curbs for & of CITY HIGH SCHOOL West First West of Rogers Street THERE IS A JOG INTHE & OF WALNUT SEMINARY STR (AT ZNO STR) OF APPREX. 5.8 FT (SHOW) SQUARE BE CHECKED) 78.50 86.50















What Holps ROCK IN TIN STREET IN FRONT OF BANNEKER SCHOOL VERY CLOSE TO SURFACE. :64 40 88 62 37 38 59 5 60 Spring 36 58 1 56 55 54 51 John 49 A 50 28 22 OF 15 -114 42 1 10

















Trohn,

Enclosed is my late grandfather's (John Tracy Stapleton, Sr.) survey book. I hope you find it interesting and helpful. He served as Bloomington City Engineer in the 1930's, and was the Monroe County Surveyor from 1940 to 1964. A lifelong Republican, he finally didn't get reelected in 1964, because of the LBJ presidential landside, and the fact the City introduced new mechanical voting machines that year, which made it tough to split your ticket.

One of the main reasons I became an engineer is because of him.

A little bit about me...born and raised in Bloomington. Attended and graduated from University High School (a lab school of IU, which closed in 1972). Attended Purdue, and got my BSCE & MSCE from there. I'm a structural engineer that designs bridges for a living.

Sincerely, Jeff Stapleton

Jeff Stapleton, PE/SE

Senior Design-Build Bridge Lead

CH2M Transportation Business Group 9193 South Jamaica Street Englewood, CO 80112

D 720 286 5046 F 720 286 9706

M 303 489 6053 jeff.stapleton@ch2m.com www.ch2m.com

ch2m: